

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S365	200683	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S366	292244	((topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near3 (information\$1 configuration data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S367	2351	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S368	2108	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S369	224030	((topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S370	13758	((topolog\$3) near2 (information\$1 configuration\$1 data discover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S371	2049	((topolog\$3 configurations\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S372	14	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33

S373	1320	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 14:33
S374	2082	select\$3 with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S375	2131	(choos\$3 select\$3) with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S376	1718	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S378	73	(topolog\$3 same (spanning adj2 tree\$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S379	332	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S380	2	"7024483".pn. and (next near2 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:17
S381	34	S373 and S374	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:39

S383	119	S367 and S370	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:40
S384	1718	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:45
S385	4898	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:46
S386	3341	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:46
S387	1320	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:46
S388	87	(S386 S387) and S385	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:47
S389	2526	((select\$3 choos\$3) with (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:50
S390	3343	quer\$4 with ((establish \$3 exist\$3 identif\$5) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51

S391	45	S389 and S390	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S392	2854	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near4 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S393	140	S389 and S392	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S394	950	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S395	5406	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S396	4753	370/342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S397	916	370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S398	403	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S399	465	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S400	3966	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S401	1726	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51

S402	1210	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S403	9499	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S404	4073	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S405	2953	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S406	4669	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S407	761	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S408	525	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S409	347	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S410	4073	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S411	629	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S412	2694	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S413	778	370/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S414	3399	370/235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51

S415	1050	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S416	121	370/236.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S417	171	370/241.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S418	1319	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S419	590	370/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S420	333	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S421	44641	S394 S395 S396 S397 S398 S399 S400 S401 S402 S403 S404 S405 S406 S407 S408 S409 S410 S411 S412 S413 S414 S415 S416 S417 S418 S419 S420	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:51
S422	7926	((establish\$4 exist\$4 confirm\$4 identif\$6 provid\$3 settl\$2 validat \$3) near3 (path\$1 link \$1 connection\$1 rout \$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:56
S423	367594	(topolog\$3 configuration \$1 link\$1state (link\$1 adj state\$1)) near4 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:56
S424	2249	S422 and S423	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:57
S425	281	S421 and S424	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:57

S426	4734	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((establish \$3 exist\$3 identif\$6) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:57
S427	842	S421 and S426	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:57
S428	1718	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:58
S429	7750	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near4 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:58
S430	127	S427 and S429	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:59
S431	368	S421 and S428	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 15:59
S432	13	("6157955" "6205488" "6332163" "6539483" "6606660" "6631416" "6671724" "6678827" "6701358" "6732176" "6751729" "7028183" "7136374").PN. OR ("7373660").URPN.	US-PGPUB; USPAT; USOOR	OR	OFF	2009/08/26 15:59

S433	37	("5276789" "5394522" "5671355" "5684967" "5687315" "5715432" "5751962" "5754831" "5793958" "5793974" "5809265" "5809282" "5812779" "5821937" "5831610" "5831618" "5838907" "5889520" "5907696" "5910803" "5933601" "5958012" "5966128" "5974127" "6009466" "6018769" "6020889" "6058260" "6058262" "6108309" "6363334" "6477572" "6643837" "6651062" "RE36444").PN. OR ("6996510").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/26 16:00
S434	12	("20020042274" "20020073338" "20020141346" "20030140165" "20030172180" "5453978" "6047331" "6631421" "6678241" "6765880").PN. OR ("6992988").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/26 16:00
S435	3341	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:01
S436	309	S421 and S435	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:01
S437	6665	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:05
S438	20794	((path\$1 link\$1 connection\$1) with topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:05

S439	3310	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:05
S440	4556	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with (quer\$4 ask \$3 inquire\$4 enquire\$4 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:06
S441	67	S437 and S439	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:07
S442	176	S438 and S439	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:07
S443	86	S437 and S440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:07
S444	212	S438 and S440	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:07
S445	19	("20020042693" "20030204509" "20030204623" "20030204786" "5666486" "6108699" "6167490" "6192401" "6477172" "6567808" "6718394" "6748429" "6801937" "6847993").PN. OR ("7024483").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/26 16:11
S446	43	("5049873" "5063523" "5123098" "5136690" "5185860" "5276789" "5414812" "5453980" "5455952" "5463628" "5473608" "5488715" "5491796" "5509123" "5539886" "5561769" "5568605" "5651006" "5655081" "5689645" "5706508" "5758083" "5774669" "5848243"	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/26 16:11

		"5910803" "5926463" "5960439" "6018344" "6208977" "6225999" "6253240" "6256295" "6314093" "6370119" "6377987" "6396810" "6411946" "6456306" "6574663" "6639900" "6775243" "6842425").PN. OR ("7003559").URPN.				
S447	5700	(receiv\$3 near2 request) and (quer\$5 with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:14
S448	9117	(receiv\$3 near2 request) and ((quer\$4 ask\$3 inquire\$4 enquire \$4 request\$4) with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:14
S449	2917	((rout\$3 switch\$4) near3 (information configuration)) and S448	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:15
S450	263	S421 and S449	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:15
S451	98481	(compar\$5 determin\$6 match\$3) with (configuration\$1 information\$1) with (identifier\$1 id\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:19
S452	21212	(quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:27

S453	423	S451 same S452	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:27
S454	3684	S451 and S452	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:27
S455	385	S421 and S454	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:27
S456	755	S453 S455	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:27
S460	155448	(request\$4 with (connection\$1 path\$1 link\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:33
S461	20335	(request\$4 with (connection\$1 path\$1 link\$1)) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:33
S462	6665	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:33
S463	239	S461 and S462	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:33
S464	36	(US-20050050225-\$ or US-20030033427-\$ or US-20010017843-\$ or US-20040233859-\$ or US-20050111366-\$ or US-20030097468-\$ or US-20040120270-\$ or US-20030043820-\$ or US-20030236870-\$). did. or (US-7068667-\$ or US-7003559-\$ or US- 6286038-\$ or US- 6778524-\$ or US- 7373660-\$ or US- 6246669-\$ or US- 6836463-\$ or US- 6915340-\$ or US- 6996510-\$ or US- 6614765-\$ or US- 7263552-\$ or US- 5606669-\$ or US- 6339587-\$ or US-	US-PGPUB; USPAT	OR	OFF	2009/08/26 16:34

		6584502-\$ or US- 5942989-\$ or US- 5881048-\$ or US- 7050404-\$ or US- 7024483-\$ or US- 5870558-\$ or US- 6539427-\$ or US- 6137782-\$ or US- 6992988-\$ or US- 4825206-\$ or US- 5185860-\$ or US- 5408618-\$ or US- 5946379-\$).did. or (US- 6898183-\$).did.				
S465	3	S461 and S464	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:34
S466	22	S460 and S464	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:34
S467	6636	(request\$4 with (new\$2 near3 (connection\$1 path\$1 link\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:35
S471	3	S467 and S464	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/26 16:36
S472	2	((HO-KEUNG) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/26 16:39
S473	4	"7024483".pn. "6339587".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 07:19
S474	8	("5262906" "5513171" "5526414" "5590120" "5936951").PN. OR ("6339587").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 07:20
S475	19	("20020042693" "20030204509" "20030204623" "20030204786" "5666486" "6108699" "6167490" "6192401" "6477172" "6567808" "6718394" "6748429" "6801937" "6847993").PN. OR ("7024483").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 07:20

S476	7	"779442".ap.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 07:29
S477	203788	(network\$4 near4 (management\$1 manag \$4 monitor\$3 administrat\$6)) ((nems nms ems) same (management\$1 manag \$4 monitor\$3 administrat\$6) same (network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:08
S478	203788	(network\$4 near4 (management\$1 manag \$4 monitor\$3 administrat\$6)) ((nems nms ems) same (management\$1 manag \$4 monitor\$3 administrat\$6) same (network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:13
S479	83970	((signal\$1 alert\$1 alarm \$1 message\$1) with ((active\$1 establish\$3 confirm\$3 identified provid\$3 exist\$3) near4 (path\$1 link\$1 connection\$1 route \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:13
S480	21809	(quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:15
S481	3084	S479 and S480	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:15
S482	1687	S478 and S481	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:15
S483	654765	(determin\$3 formulat\$3 map\$3 graph\$4 compos \$4 chart\$3 model\$3 layout\$1 outlin\$4) with (path\$1 link\$1 connection\$1 route\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:22

S484	1518	S482 and S483	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:23
S485	179896	(rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1)) same S483	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:23
S488	1287	S484 and S485	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:25
S489	363093	((formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout \$1 outlin\$4) with (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:25
S490	93597	((formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout \$1 outlin\$4) with (path \$1 link\$1 connection\$1 route\$1) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:26
S491	486	S488 and S490	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:26
S492	95606	(quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:30
S493	4096	S478 same S492	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:31
S494	2699	S479 same S492	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:31

S496	244	S493 and S494	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:31
S497	1518	S478 same S479	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:46
S498	222	S493 and S497	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:46
S499	129	S496 not S498	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 15:46
S500	21	("5649108" "5712854" "5805593" "5809011").PN. OR ("6034961").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 15:50
S501	6	("5185860" "5276789" "5905711" "5926463" "5926463" "6327677" "6684237").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 15:51
S502	21	("20020091857" "20020196802" "4864559" "5361256" "5675741" "5828665" "5917820" "5926463" "6078590" "6101180" "6331983" "6374303" "6415312" "6502140" "6563830" "6567929" "6597703" "6785240" "6839348" "7170885" "7181526").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 15:52
S503	47	S500 S501 S502	US-PGPUB; USPAT; USOCR	OR	OFF	2009/08/27 15:52
S504	2	"5185860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/27 16:27

S505	57	(network\$3 near3 topolog\$4) and (network\$3 near3 manager\$1) and (new \$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:14
S506	615	(request\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:19
S507	2	(network\$3 near3 manager\$1) same (request\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:19
S508	51	(network\$3 near3 manager\$1) and (request\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:20
S509	51	(network\$3 near3 manager\$1) and ((request\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:20
S510	45	(network\$3 near3 manager\$1) and ((message\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:22

S511	45	(network\$3 near3 manager\$1) and ((message\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) adj3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:23
S512	168	(network\$3 near3 manager\$1) and ((message\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) near4 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:27
S513	123	S512 not S511	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:28
S514	54	topolog\$4 and S513	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:28
S515	69	S513 not S514	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:32
S516	109	(network\$3 near3 discover\$4) and ((message\$1 signal\$1 notification\$1) same (new\$2 near4 (active\$1 established existing identified) near4 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:32
S517	751	(network\$3 near3 discover\$4) and ((message\$1 signal\$1 notification\$1) same (new\$2 near3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:41

S518	305	((network\$3 near3 manag\$4) nms) and (network\$3 near3 discover\$4) and ((message\$1 signal\$1 notification\$1) same (new\$2 near3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:42
S519	167	(network\$3 near3 topolog\$4) and S518	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:42
S520	2	"20030208572" and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:49
S521	1	"20030208572" and (client\$1 same server \$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:50
S522	2	"20030208572" and (server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:50
S523	2	"20030208572" and (server\$1 manager\$1 administrator\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:50
S524	66	(change\$1 near3 topolog\$4) same ((message\$1 signal\$1 notification\$1) with (new\$2 near3 (link\$1 path\$1 route\$1 connection\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 07:58
S525	2	"20030208572"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 08:55
S526	2	"7293106".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 09:28
S527	3303581	"7293106".pn. and storage\$1 memor\$3 buffer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 09:28
S528	0	"7293106".pn. and (storage\$1 memor\$3 buffer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 09:29

S529	1	"20030208572" and (storage\$1 memor\$3 buffer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 09:30
S530	2	"20030208572" and (storage\$1 memor\$3 buffer\$1 stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/28 09:30

8/ 28/ 2009 9:57:58 AM**C:\ Documents and Settings\ rpsia\ My Documents\ EAST\ Workspaces\ 10779442new04.wsp**